



Main Menu



## PROGRAMS

---

 AXOLOTL
 

---



---

 AXOLOTL IDE
 

---



---

 BASIC CONTROLS
 

---



---

 CUSTOM CONTROLS
 

---



---

 BUGEE#@!
 

---



---

 SERVER SIDE INSTALLATION
 

---



---

 HOW TO USE THE SCRIPTS
 

---



---

 HOW TO USE THE CLIENT
 

---

## How to use the scripts

### issue.php

This script can be used in a hyperlink and it will show to the user a single issue. The syntax of the hyperlink is as in this example:

<http://localhost/bugee/issue.php?ID=25&prev=index.html>

as you can see , this is a typical hyperlink. The GET values are , the **ID** that is the ID of the issue (this id you can find it inside the Bugee#@! client program as the ID field , or you can see this value inside the MYSQL issues table) and the **prev** is the page that the **previous page** button will load. If the **prev** is not set then the **previous page** button will not be visible .

### knownbugs.php

This script can be used in a hyperlink and it will show to the user all the known bugs for a given program. The syntax of the hyperlink is as in this example:

<http://localhost/bugee/knownbugs.php?app=Bugee&prev=index.html>

as you can see , this is a typical hyperlink. The GET values are , the **app** that is the application name ( e.g Bugee. Note that you can set this value as bug% too when the % means any characters ) and the **prev** is the page that the **previous page** button will load. If the **prev** is not set then the **previous page** button will not be visible .

### submitform.php

Powered by  000webhost

This script can be used in a hyperlink and it will show to the user a form for reporting an issue.

<http://localhost/bugee/submitform.php?prev=index.html&appl=Bugee>

as you can see , this is a typical hyperlink. The GET values are , the **appl** that is the application name (e.g Bugee. Note that the name is case sensitive ) and the **prev** is the page that the **previous page** button will load. If the **prev** is not set then the **previous page** button will not be visible. **Note** that if the **appl** value is missing, then the form will have a list of all the applications in the database. See the following images.

**Report a bug or suggest a feature!**

**Application\***

**Report a :\***

**Title\***

**Description\***

**Email**

**8 + 8 = \***

Submit

Return to previous page

**Report a bug or suggest a feature!**

**Application\***

**Report a :\***   
SampleApp1  
SampleApp2  
VectorC!

**Title\***

**Description\***

**Email**

**6 + 2 = \***

Submit

Return to previous page

## CONTACT US

@ELSE-RETURN0

@NIKOS MOURGIS

Powered by  000webhost